

xTool F2 Ultra UV

294 x 429 mm | 11.57 x 16.89 in | LETTER

MXF-K007-001 body only; no controller or conveyor

1. Print this page first: Actual size / 100%, single-sided, one page per sheet. No Fit or Shrink.
2. Measure both axes of the 50 mm square and the 100 mm bar below. If wrong, fix scaling.
3. Print all tiles with the SAME settings. Check each tile's 50 mm bar. Trim dashed borders.
4. Match row/column labels. Butt tile edges with NO gap or overlap; tape from behind.
5. Measure the assembled dark rectangle: 294 x 429 mm. Do not measure the tile borders.

ASSEMBLY MAP (NOT TO SCALE)

R1C1	R1C2
R2C1	R2C2

2 columns x 2 rows

4 tiles + this guide

Dashed: trim border

Heavy solid: machine body

Light grid: 50 mm spacing

CALIBRATION / MEASURE BEFORE ASSEMBLING



Next: check your room

laserroomready.com

Scan for this machine's checker

Source checked 2026-09-16: <https://support.xtool.com/article/2595>


Planning rectangle from product dimensions. No feet, lid travel, service, hose or accessory space.

Organizational aid, not engineering, safety approval or code certification. Remove paper before use.


Original layout: LaserRoomReady, CC BY 4.0. Preserve source/date/limits. Not endorsed by xTool.

xTool F2 Ultra UV | R1 C1 of 2 x 2 | LETTER

100% / Actual size | body 294 x 429 mm | source 2026-09-16



Trim dashed border. Butt edges, no overlap. 5 mm outer padding is NOT clearance.



Trim dashed border. Butt edges, no overlap. 5 mm outer padding is NOT clearance.

xTool F2 Ultra UV | R2 C1 of 2 x 2 | LETTER


100% / Actual size | body 294 x 429 mm | source 2026-09-16

R2C1 / global x 0, y 230 mm			

Trim dashed border. Butt edges, no overlap. 5 mm outer padding is NOT clearance.

xTool F2 Ultra UV | R2 C2 of 2 x 2 | LETTER

100% / Actual size | body 294 x 429 mm | source 2026-09-16



Trim dashed border. Butt edges, no overlap. 5 mm outer padding is NOT clearance.